

Safety Data Sheet

according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

Trade name: High Light

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Photon-curable forming resin for 3D printing. Industrial uses.

Uses advised against: Not for Food additives.

1.3 Details of the supplier of the safety data sheet:

Company: PANCOLOUR INK CO., LTD.

Address: No. 72-1, Wenming Rd., Guishan Dist., Taoyuan City 33382, Taiwan

Telephone: +886-3-3270177

E-Mail: sales1@pancolourink.com

1.4 Emergency telephone number:

Telephone: +886-3-3270177, ext.110

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Classification (Regulation (EC) No. 1272/2008 [CLP])

Acute toxicity(Oral), Cat.5 : H303-May be harmful if swallowed

Skin irritation, Cat.2 : H315-Causes skin irritation

Eye damage, Cat.1 : H318-Causes serious eye damage

Skin Sensitization, Cat.1 : H317-May cause an allergic skin reaction

STOT-Repeated exposure, Cat.2 : H373-May cause damage to organs

Chronic Aquatic hazard, Cat. 3 : H412-harmful to aquatic life with long lasting effects

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard pictograms



Signal word: Danger

Hazard statements: H303-May be harmful if swallowed

H315-Causes skin irritation

H318-Causes serious eye damage

H317-May cause an allergic skin reaction

H373-May cause damage to organs

H412-harmful to aquatic life with long lasting effects

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/face protection.

Response

P301+ P317 IF SWALLOWED: Get medical help.

P302 + P352 IF ON SKIN: Wash with plenty water/...

P305 + P354 + P338 IF IN EYES: Immediately rinse with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P319 Get medical help if you feel unwell.

P332 + P317 If skin irritation occurs: Get medical help.

P333 + P317 If skin irritation or rash occurs: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

-

Disposal

P501 Dispose of contents/container in accordance with local regulation.

Safety Data Sheet

according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

2.3 Other hazards

Adverse physicochemical effects: Not available
Adverse human health effects and symptoms: Not available
Adverse environmental effects: Not available
Other adverse hazards: Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Not applicable.

3.2 Mixtures

Description of the mixture:

Viscous Liquid.

Hazardous ingredients

| Substance | Concentration (% w/w) | CAS-No. | Classification regulation 1272/2008/EC, REACH |
|--|-----------------------|-------------|---|
| Acrylated monomer 1 | 5~20% | 52408-84-1 | Acute Tox. 4 *, H302 STOT RE 2 *, H373 ** Eye Dam. 1, H318 Skin Sens. 1, H317 |
| DPGDA | 20~50% | 57472-68-1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 |
| Acrylated monomer 2 | 1~10% | 48145-04-6 | Eye Dam. 1, H318 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411 |
| Acrylated oligomers | 10~30% | 55818-57-0 | Not applicable |
| (Di-p-tolylphosphoryl)(mesityl)methanone | 0.5~2% | 270586-78-2 | Repr. 2, H361f |
| Additives | 1~6% | 25190-06-1 | Aquatic Chronic 3, H412 Eye Irrit. 2, H319 |
| 1-Dodecyl-2-Pyrrolidinone * | 0.05~0.2% | 2687-96-9 | Not applicable |
| C.I. Pigment Green 7 * | 0.01~0.1% | 1328-53-6 | Not applicable |

* high performance fluorescent pigment: Usage 1~2% (DayGlo Ezentus EZ-Series)

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information: Move the victim to fresh air.
Do not leave the victim unattended.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.

Following inhalation: If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

Following skin contact: Wash off immediately with soap and plenty of water.
If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

Following eye contact: Immediately flush eye(s) with plenty of water.
Flush eyes with water as a precaution.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

Following ingestion: Keep respiratory tract clear.

Safety Data Sheet

according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

Self-protection of the first aider: Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Causes skin irritation.
May cause an allergic skin reaction.
Suspected of damaging the unborn child

Effects Not available

4.3 Indication of any immediate medical attention and special treatment needed

This information is not available.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Dry sand, ABC powder, Foam

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products Possible decomposition products are: COx, NOx

5.3 Advice for fire-fighters

Special protective equipment for fire fighters Wear self-contained breathing apparatus for firefighting if necessary.

Further information Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures

For non-emergency personnel

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment.

Protective equipment Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Wear protective gloves/clothing and eye/face protection.

Emergency procedures No action shall be taken involving any personal risk or without suitable training.
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist.

Personal protective equipment If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

For emergency responders

Personal protective equipment If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Environmental precautions Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Safety Data Sheet

according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

6.3 Methods and material for containment and cleaning up

For containment Prevent further leakage or spillage if safe to do so.
For cleaning up Soak up with inert absorbent material (e.g. sand, sawdust etc.).
Other information Not available

6.4 Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures

Advice on safe handling Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating, and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Fire preventions Normal measures for preventive fire protection.

Advice on general occupational hygiene

Hygiene measures Do not eat, drink, or smoke when using.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Packing materials Original container, plastic containers with cover.

Requirements for storage rooms and vessels

Requirements for storage areas and containers Take measures to prevent the build up of electrostatic charge.
Use explosion-proof equipment.
Keep container closed when not in use.

Hints on storage assembly

Storage class Store in original container. Keep containers tightly closed in a cool, well-ventilated place.

Materials to avoid Keep away from sources of ignition, oxidizing agents, strongly alkaline and strongly acid materials to avoid exothermic reactions.

Further information on storage conditions

Protect from humidity and water.

7.3 Specific end uses

This information is not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

| Substance name | CAS-No. | Limit value - 8-hrs | Limit value - Short term | Basis |
|----------------|---------|---------------------|--------------------------|-------|
| - | - | - | - | - |

Biological limit values

| Substance name | CAS-No. | Control parameters | Sampling time | Basis |
|----------------|---------|--------------------|---------------|--------|
| - | - | - | - | TRG903 |

Exposure limits at intended use

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | CAS-No. | End use | Exposure route | Effects | Threshold |
|---------------------|------------|---------|----------------|----------|--------------------------|
| Acrylated monomer 1 | 52408-84-1 | Workers | Inhalation (L) | Systemic | 132.24 mg/m ³ |
| | | | Inhalation (S) | Systemic | 132.24 mg/m ³ |
| | | | Dermal (L) | Systemic | 300 mg/kg bw/day |
| | | | Dermal (S) | Systemic | 300 mg/kg bw/day |

Safety Data Sheet
according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

| Substance name | CAS-No. | End use | Exposure route | Effects | Threshold |
|--|-------------|--------------------|----------------|----------|-------------------------|
| DPGDA | 57472-68-1 | Workers | Inhalation (L) | Systemic | 24.48 mg/m ³ |
| | | | Dermal (L) | Systemic | 2.77 mg/kg bw/day |
| | | General population | Inhalation (L) | Systemic | 7.24 mg/m ³ |
| | | | Dermal (L) | Systemic | 1.66 mg/kg bw/day |
| | | | Oral (L) | Systemic | 2.08 mg/kg bw/day |
| Acrylated monomer 2 | 48145-04-6 | Workers | Inhalation (L) | Systemic | 8.22 mg/m ³ |
| | | | Dermal (L) | Systemic | 2.3 mg/kg bw/day |
| | | General population | Inhalation (L) | Systemic | 1.4 mg/m ³ |
| | | | Dermal (L) | Systemic | 830 µg/kg bw/day |
| | | | Oral (L) | Systemic | 830 µg/kg bw/day |
| (Di-p-tolylphosphoryl)(mesityl)methanone | 270586-78-2 | Workers | Inhalation (L) | Systemic | 822 µg/m ³ |
| | | | Dermal (L) | Systemic | 233 µg/kg bw/day |
| | | General population | Inhalation (L) | Systemic | 145 µg/m ³ |
| | | | Dermal (L) | Systemic | 83.3 µg/kg bw/day |
| | | | Oral (L) | Systemic | 83.3 µg/kg bw/day |
| Carbon black | 1333-86-4 | Workers | Inhalation (L) | Systemic | 1 mg/m ³ |
| | | | Inhalation (L) | Local | 500 µg/m ³ |
| | | General population | Inhalation (L) | Systemic | 60 µg/m ³ |

Note: (L)=Long-term; (S)=Short-term

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | CAS-No. | Environment type | Environmental Compartment | Threshold | |
|---------------------|------------|----------------------|------------------------------------|------------------------------------|----------|
| Acrylated monomer 1 | 52408-84-1 | Aquatic Organisms | Freshwater | 12 µg/L | |
| | | | Sediment (freshwater) | 9.428 µg/kg sediment dw | |
| | | | Soil | 1.442 µg/kg soil dw | |
| DPGDA | 57472-68-1 | Aquatic Organisms | Freshwater | 3.4 µg/L | |
| | | | Intermittent releases (freshwater) | 34 µg/L | |
| | | | Marine water | 340 ng/L | |
| | | | Sewage treatment plant (STP) | 100 mg/L | |
| | | | Sediment (freshwater) | 8.84 µg/kg sediment dw | |
| Acrylated monomer 2 | 48145-04-6 | Terrestrial Organism | Soil | 1.3 µg/kg soil dw | |
| | | | Aquatic Organisms | Freshwater | 2.7 µg/L |
| | | | | Intermittent releases (freshwater) | 27 µg/L |
| | | | Marine water | 270 ng/L | |
| | | | Sewage treatment plant (STP) | 10 mg/L | |
| | | | Sediment (freshwater) | 177.6 µg/kg sediment dw | |
| | | | Sediment (marine) | 17.8 µg/kg sediment dw | |

Safety Data Sheet
according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

| Substance name | CAS-No. | Environment type | Environmental Compartment | Threshold |
|--|-------------|----------------------|--------------------------------------|------------------------|
| | | | water) | |
| | | Terrestrial Organism | Soil | 33.9 µg/kg soil dw |
| (Di-p-tolylphosphoryl)(mesityl)methanone | 270586-78-2 | Aquatic Organisms | Freshwater | 1.4 µg/L |
| | | | Intermittent releases (freshwater) | 14 µg/L |
| | | | Marine water | 140 ng/L |
| | | | Intermittent releases (marine water) | 1.4 µg/L |
| | | | Sediment (freshwater) | 115 µg/kg sediment dw |
| | | | Sediment (marine water) | 11.5 µg/kg sediment dw |
| | | Terrestrial Organism | Soil | 22.2 µg/kg soil dw |
| Carbon black | 1333-86-4 | Aquatic Organisms | Freshwater | 1 - 50 mg/L |
| | | | Intermittent releases (freshwater) | 10 mg/L |
| | | | Marine water | 100 µg/L |
| | | | Intermittent releases (marine water) | 1 mg/L |

8.2 Exposure controls

Appropriate engineering controls

Personal protective equipment

Eye protection:

Goggles, Safety glasses

Hand protection:

Solvent-resistant gloves (butyl-rubber)

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The exact break through time can be obtained from the protective glove producer and this has to be observed. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Recommended preventive skin protection Skin should be washed after contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection:

Choose body protection according to the amount and concentration of the dangerous substance at the workplace.

Respiratory protection:

Use suitable breathing protection if workplace concentration requires.

Environmental exposure controls

Water

The product should not be allowed to enter drains, water courses or the soil.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | | | |
|----------------|------------------------|----------------|------------------|
| Physical state | Viscous liquid | Odor | Typical arylates |
| Color | Refer to product label | Odor Threshold | Not available |

Safety Data Sheet

according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

| | | | |
|---|---------------------------|--|---------------|
| pH | Not applicable | | |
| Melting point / Freezing point | No data available | Initial boiling point / Boiling range | Not available |
| Flash point | > 110°C (Closed-cup) | Evaporation rate | Not available |
| Flammability (Solid, gas) | Not available | Explosive limits | Not available |
| Vapor pressure | Not available | Vapor density | Not available |
| Relative density | ca. 1.12g/cm ³ | Solubility | Not available |
| Partition Coefficient: n-Octanol/Water | Not available | Auto-ignition temperature | Not available |
| Decomposition Temperature | Not available | Viscosity (25°C) | 200~300 cP |

9.2 Other information:

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions: Contact with acids and alkalis may release hydrogen.
Stable under recommended storage conditions.

10.4 Conditions to avoid:

Conditions to avoid High temperature, exposure to direct sun light.

10.5 Incompatible materials:

Materials to avoid: Acids, Bases, Oxidizing agents

10.6 Hazardous decomposition products:

Contact with water or humidity This information is not available.

Thermal decomposition This information is not available.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on likely routes on exposure

None known

11.2 Information on toxicological effects

Acute toxicity

Product: May be harmful if swallowed

Components:

【Acrylated monomer 1】 (Oral) Harmful
(Inhalation) LC50 (4 h) 1 mg/L air (rat)
(Dermal) Not classified

Remarks: data from ECHA REACH-dossier information

Skin corrosion/irritation

Product: Causes skin irritation

Components: No data available

Eye damage/irritation

Product: Causes serious eye damage

Components: No data available

Skin/Respiratory sensitization

Product: May cause an allergic skin reaction

Components: No data available

Safety Data Sheet

according to Regulation GHS (UN)

Trade name: **High Light**

Version: 1.0 / EN

Revision date: 8.4.2023

Germ cell mutagenicity

Product: Not classified based on available information.

Components: No data available

Carcinogenicity

Product: Not classified based on available information.

Components: No data available

Reproductive toxicity

Product: Not classified based on available information.

Components: No data available

STOT – Single exposure

Product: Not classified based on available information.

Components: No data available

STOT- Repeated exposure

Product: May cause damage to organs

Components: No data available

Aspiration toxicity

Product: Not classified based on available information.

Components: No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity:

Product: No data available

Components:

【Acrylated monomer 2】
to fish: LC50 (4 days) 2.7 mg/L
to aquatic invertebrates: EC50 (48 h) 158.3 mg/L
to aquatic algae and cyanobacteria: EC50 (72 h) 11.3 - 25.7 mg/L
to microorganisms: NOEC (14 days) 100 mg/L

Remarks: data from ECHA REACH-dossier information

12.2 Persistence and degradability

Product: No data available

Components:

【Acrylated monomer 2】
Biodegradation in water: Inherently biodegradable (100%)

Remarks: data from ECHA REACH-dossier information

12.3 Bioaccumulative potential

Product: No data available

Components:

Remarks: data from ECHA REACH-dossier information

12.4 Mobility in soil

Product: No data available

Components:

【Acrylated monomer 2】
Adsorption/desorption: Koc 141.8 - 621.8 L/kg

Remarks: data from ECHA REACH-dossier information

12.5 Results of PBT and vPvB assessment

The substances are not considered to be persistent, accumulative, and toxic (PBT). The substances are not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects:

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| | |
|------------------------|--|
| Product | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, water ways or ditches with chemical or used container. Send to a licensed waste management company. In accordance with local and national regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. In accordance with local and national regulations. |

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

Not applicable

14.2 UN Proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as marine pollutant

14.6 Transport in bulk according to IMO instruments

Not applicable for product as supplied.

14.7 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

REACH-Candidate List of Substances of Very High Concern for Authorisation (Article 59): Not applicable

15.2 Chemical Safety Assessment

None

SECTION 16: OTHER INFORMATION

| | |
|--------------------|--|
| Reference | <ul style="list-style-type: none">- Globally Harmonized System of Classification and Labelling of Chemicals (GHS), rev.8, 2019- (EC) No.1272/2008, Annex VI to CLP, ATP14, 2020- REACH-dossier documents, ECHA- PBT assessment list, ECHA- IFA GESTIS - International limit values for chemical agents (Occupational exposure limits, OELs)- TRGS 903 Biological Limit Values (BGW) Technical rule for hazardous substances |
| Prepared by | PancoLOUR Ink Co., Ltd. / QA / +886 (3) 3270177 |

The information provided in this Safety Data Sheet is according to the best of our knowledge and information at the date of its publication. The information in this SDS was obtained from sources, which we believe are reliable. However, the information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release. It is not to be considered a warranty or quality specification. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of document